DMEMSMD July 2024 Protocol Changes (Updated July 25, 2024):

<u>July 25, 2024</u>

- 1. 9090 Dextrose
 - a. Pediatric dosing updated to reflect changes made to dextrose dosing of newly born in protocol 3020 Neonatal Resuscitation

<u>July 17, 2024</u>

- 1. All references to hyperactive delirium with severe agitation have been removed from the protocol.
- 2. 0015 Age Definitions
 - a. Addition of newly born in age definitions
- 3. 0110 Free Standing ED
 - a. Update to exclusion list and addition of pediatrics
- 4. 0990 Quick Reference Guide
 - a. Update to match protocol changes
- 5. 1130 Physical Restraint
 - a. Removal of hyperactive delirium
 - b. Addition of IMC-RASS documentation
- 6. 2030 Adult Wheezing
 - a. Route removed from epinephrine in protocol; reference to routes now in epinephrine protocol
- 7. 2030 Pediatric Wheezing
 - a. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in peds"
- 8. 3020 Neonatal Resuscitation
 - a. Reviewed and updated to streamline protocol
 - b. Inclusion of hypoglycemia treatment for newly born
- 9. 3050 Bradycardia
 - a. Added Adult and Pediatric to treatment box
 - b. Vasopressor changed to epinephrine
 - c. Addition of consider fluid administration for mechanical capture but still hypotensive
- 10.3090 LVAD Protocol
 - a. Adult phone number updated to 720-848-LVAD (5823)
- 11.4040 Seizure
 - a. Update to protocol flow to include management of seizure with pregnancy
- 12.4050 Hypoglycemia
 - a. Updated to streamline protocol flow
 - b. Inclusion of link to hypoglycemia treatment in the newly born in NRP protocol
- 13.4080 Overdose and Acute Poisoning
 - a. QRS width added to sodium channel blocker indication
- 14.4090 Allergy and Anaphylaxis
 - a. Updated to streamline protocol flow
 - b. Additional indications for epinephrine administration with gastrointestinal intestinal symptoms

- 15.5000 Drowning
 - a. Updated to streamline protocol
 - b. For unresponsive patient spinal motion restriction moved farther down in algorithm
 - c. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 16.5010 Hypothermia
 - a. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 17.6010 Agitated/Combative Patient
 - a. Removal of hyperactive delirium with severe agitation
 - b. Update to flow of protocol algorithm and to provide specific treatment guidance based on level of agitation/combativeness
- 18.6011 Hyperactive Delirium with Severe Agitation
 - a. Protocol has been removed; refer to 6010 Agitate/Combative patient protocol
- 19.7010 Obstetric Complications
 - a. Fixed box color for magnesium sulfate and eclampsia
- 20.8000 General Trauma Care
 - a. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 21.8020 Traumatic Shock
 - a. Added pediatric fluid bolus amount
- 22.8030 Head Trauma
 - a. Addition of information from Arizona EPIC TBI study
 - b. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 23.8040 Face and Neck Trauma
 - a. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 24.8060 Chest Trauma
 - a. "BLS airway preferred in pediatrics" updated to "BVM/OPA ventilation preferred in pediatrics"
- 25.9000 Medication Administration Guidelines
 - a. Addition of link to list of medication shortages
- 26.9070 Benzodiazepines
 - a. Removal of hyperactive delirium with severe agitation
 - b. Update to pediatric dosing for agitated/combative patient
- 27.9075 Butyrophenones
 - a. Removal of hyperactive delirium with severe agitation
 - b. Update to pediatric dosing for agitated/combative patient
- 28.9080 Calcium
 - a. Corrected to include IO route
 - b. Addition of "Known or suspected hyperkalemia with ECG changes" for indication from hyperkalemia protocol
 - c. Language about administration in same line as sodium bicarbonate updated.

- 29.9120 Epinephrine
 - a. Update to adult push dose dosing range
 - b. Adult push dose mixing instructions are now refer to agency specific guidelines
 - c. Addition of drip rate chart for adult infusion
 - d. Removal of epinephrine ratio concentration
- 30.9225 NSAIDS
 - a. Ketorolac dosing for 8-11 years old added
- 31.9270 Racemic Epinephrine
 - a. Removal of epinephrine ratio concentration
- 32.9280 Sodium Bicarbonate
 - a. Update TCA indication to sodium channel blocker
 - b. Change hyperactive delirium to general "Known or suspected hyperkalemia with ECG changes" and as an indication from the hyperkalemia protocol.
 - c. Language about administration in same line as calcium updated.
- 33.9000X Medication Extended Care Supplement
 - a. Removal of ratio concentrations in epinephrine